

Waterproof Dustproof Touch Digital Outdoor Advertising Screens 55 Inch All In One Computer PC


Basic Information

- Place of Origin:
- Brand Name:
- Shen Zhen
- Certification:
- Model Number:
- Payment Terms:

Our Product Introduction

for more products please visit us on monitorspcs.com

- Skipsoul



- - T/T, Western Union, MoneyGram, PayPal



Product Specification

- Product Name:
- CPU:
- Operating System:
- Brightness:
- Viewing Angle:
- Signal Interface:
- Touch Screen:
- Waterproof Rating:
- Operating System:
- Backlight:
- Screen Size:
- Usage:
- Weatherproof:
- Touch Screen:
- Product Type:

55 Inch Digital Outdoor Advertising Screens Intel® INTEL I5-6360U 2.0GHz J1900/J1800

- XP / Win7 / Win8 / Win10 / Linxun / Allo
- 500cd/m2
- H:178°V:178°
- VGA/HDMI/USB*4/RJ45/Audio
- 10-point Capacitive Touch

IP65

- Android
 - LED Backligh

Yes

Yes

Digital Display

- Large
 - Outdoor Advertising, Digital Signage



Advertising Machine Waterproof And Dustproof Touch 55 Inch All In One Computer PC

Touch 55-inch Digital Outdoor Advertising Screens

The touch 55-inch all-in-one PC has emerged as a groundbreaking solution, revolutionizing the concept of computing and interactivity. Let's explore the features and advantages of this cutting-edge touch-enabled all-in-one PC.

Immersive Touch Experience

The touch 55-inch digital outdoor advertising screens provide users with an immersive and intuitive touch experience.

Expansive Display for Enhanced Productivity

Featuring spacious 55-inch digital outdoor advertising screens, the touch all-in-one PC offers ample screen real estate for users to multitask and boost productivity. Whether you're working on complex projects, collaborating with colleagues, or presenting ideas, the large screen size facilitates seamless multitasking and enhances visibility.

Versatile Applications

The touch 55-inch digital outdoor advertising screens find applications across various industries and settings. In business environments, it serves as an interactive information kiosk, allowing customers to access product information, browse catalogs, or place orders.

Creativity Unleashed

With the touch of 55-inch digital outdoor advertising screens, creativity knows no bounds. Artists, designers, and content creators can leverage the touch interface to express their ideas with precision and fluidity. Digital artists can draw directly on the screen, while designers can manipulate images and objects with natural gestures. The touch-enabled PC opens up new possibilities for creative expression, making the creative process more intuitive and engaging.

| | Toucl | n 55 Inch Digital Outdoor Advertising Screens | |
|-----------|---------------------|--|--|
| | CPU | Intel® INTEL I5-6360U 2.0GHz J1900/J1800 | |
| | Menory | 8GB | |
| System | Hard disk | 256GB | |
| | Operating | 1 | |
| | system | Linxun | |
| | Touch screen | 10-point capacitive touch | |
| Capacita | Glass material | TP-(G+G) | |
| nce | Transmittance | ≥95% | |
| touch | Touch number | >50 million times | |
| | Touch induction | 20g current sensing | |
| | LED Screen | HD LED | |
| | Resolution | 1920*1080p | |
| | Contract | 1300:1 | |
| Display | Brightness | 2000cdm2 | |
| | Visual angle | 178H)/178(V) | |
| | Screen | | |
| | proportion (16:9) | (16:9) | |
| | WiFi | 802.11b/g/n | |
| The | Ethernet | 1000M Network port | |
| Internet | ВT | Optional | |
| | 4G | yes | |
| | HD-MI | HD *1 | |
| | USB | USB *2 | |
| | 1/0 | COM *2 | |
| | VGA | V *1 | |
| | Power socket | AC Enter | |
| Interface | RJ-45 | Ethernet *1 | |
| | Earphone | 3.5mm Stereo headphone output | |
| | HD-MI Interface | | |
| | output | YES | |
| | VGA Interface | YES | |
| | output | - | |
| Media | Video format | MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p | |
| play | Audio format | MP3/WMA/AAC etc. | |
| | Picture format | jpeg | |
| | Speaker | 2*3W | |
| | Camera | NO | |
| | wall hanging | NO | |
| other | OSD Language | Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc. | |
| | Software support | QQ / Map / Game / Email / Electronics Market and other applications | |

| | Operating Instruction | Standard |
|---------|--------------------------|--------------------------|
| | Adapter | Power Adapter AC110-240V |
| Attachm | Certification | CE/FCC/ROHS |
| ent | | |
| | | |
| | | |
| | | |
| | | |





FAQ

Q: How can I get the price?

A: We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

A: Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

Q: Can I buy a prototype to test before buying in bulk?

- A: Yes, please feel free to contact us.
- Q: What payment methods do you accept?

A: Our company supports most payment methods, but usually accepts T/T, PayPal.

Q: What are your shipping methods?

A: We support sea, air, rail transportation, and express delivery, and also support customers to use their own logistics forwarders. Please confirm with us before placing an order.

Q: I would like to ask you if it's possible to have my logo on the product.

A: Yes, we support OEM and special customization, so we can design, produce, and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

Q: What is your delivery time?

A: It depends on your order quantity and order season. Usually, small quantities will be shipped within 5 to 15 days, and large quantities will be delivered within about 30 days. All in all, the delivery time will not exceed the time agreed between us and the buyer.

| 室下涨值M Touch Vision (Shenzhen Sufeida) Technology Co., Ltd. | | | | | |
|--|---|---|--|--|--|
| +86 18566758749 | Cnsfdlhx@monitortp.com | e monitorspcs.com | | | |
| 605, Workshop C, No.1, East Industr | rial District, Shangxue Science park, Longgang District, Shenzhen, China | 2 C C C C C C C C C C C C C C C C C C C | | | |