

15.6 Inch Android 8.1 Wall Mount LCD Display RJ45 POE LCD Monitor

Our Product Introduction

Basic Information

- Place of Origin: Shen Zhen
- Brand Name: Skipsoul
- Certification: CE/ FCC/UL/ ROHS
- Model Number: A156



Product Specification

- CPU: Ruixin RK3288
- Operating System: Android 8.1
- Touch Screen: 10 Point Touch
- BT: Support
- Speaker: 2*3W
- Interface: HDMI/USB/TF/SD
- Highlight: **Android 8.1 Wall Mount LCD Display ,
15.6in Wall Mount LCD Display ,
RJ45 POE LCD Monitor**



for more products please visit us on monitorspcs.com

Product Description

15.6 Inch Android 8.1 Wall Mount LCD Display RJ45 POE LCD Monitor

15.6 Inch Android Wall-Mounted LCD Display

The 15.6-inch Android 8.1 wall-mounted LCD display, equipped with RJ45 Power over Ethernet (POE) functionality, is a cutting-edge solution that combines advanced connectivity, vibrant visuals, and seamless integration. With its large display size, powerful Android operating system, and convenient POE capability, the 15.6-inch Android 8.1 wall-mounted LCD display revolutionizes visual communications. In this article, we will explore the key features and benefits of this remarkable monitor, highlighting its ability to enhance engagement, streamline installation, and deliver captivating digital content.

Seamless Connectivity with RJ45 POE Technology

The 15.6-inch Android 8.1 wall-mounted LCD display integrates RJ45 POE technology, allowing for a seamless and hassle-free installation. With POE capability, the monitor can receive both power and data through a single Ethernet cable, eliminating the need for additional power outlets. This not only simplifies the installation process but also ensures a reliable and stable power supply. The RJ45 POE functionality enables efficient connectivity, making the monitor an ideal choice for large-scale deployments.

Vibrant Visuals on a 15.6-Inch Display


The 15.6-inch LCD display offers a generous screen size that captivates viewers with vibrant and vivid visuals. Whether displaying promotional content, product information, or multimedia presentations, the high-resolution display ensures crisp images and text. The larger display size allows for more immersive experiences, attracting attention and delivering impactful messaging. From eye-catching advertisements to interactive wayfinding systems, the 15.6-inch Android 8.1 wall-mounted LCD display brings content to life and creates memorable visual experiences.

Versatility for Various Applications

The 15.6-inch Android 8.1 wall-mounted LCD display is a versatile solution that caters to a wide range of applications. In retail environments, it can be used to showcase promotional offers, engage customers with interactive product catalogs, or provide wayfinding assistance. In corporate settings, the monitor can serve as an information hub, displaying company announcements, meeting schedules, and employee communications.

15.6 Inch Android 8.1 Wall Mount LCD Display RJ45 POE LCD Monitor		
System	CPU	Ruixin RK3288
	RAM	4GB
	Memory	16GB
	Operating system	Android 8.1
Capacitance touch	Touch screen	capacitive touch
	Glass material	armoured glass G+G
	Transmittance	≥90%
	Touch number	>50 million times
	Touch induction	20g current sensing
Display	LED Screen	LED
	Resolution	1080p
	Contrast	1000:1
	Brightness	250cdm2
	Visual angle	(H)178/178(V)
	Screen proportion	16:9
The internet	WiFi	802.11b/g/n
	Ethernet	10M/100M Network port
	BT	Support
	3G	3G USB dongle, Support external
Interface	SD	SD Card ,(Support maximum 32GB) *1
	Mini USB	USB *1
	USB Hostx3	USB Host 2.0 *2
	Power socket	DC Enter
	RJ-45	Ethernet *1
	Earphone	3.5mm Stereo headphone output
	HD-MI Interface output	NO
	TF	NO
Media play	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p
	Audio format	MP3/WMA/AAC etc.
	Picture format	jpeg
other	Speaker	2*3W
	Camera	Front 300W/ Optional
	wall hanging	75x75mm VESA
	OSD Language	Languages: Chinese, English, Japanese, German, French, Italian, Spanish, Korean, etc.
	Software support	QQ / Map / Game / Email / Electronics Market and other applications
Attachment	Operating Instruction	Standard
	Adapter	Power Adapter POE
	Certification	CE/FCC/ROHS





15.6

FAQ

Q:How can I get the price?

A:We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

Q:What is the minimum order?

A:Our company mainly deals in wholesale business,but if you insist on buying one, or you only need one set,we will also deliver the goods to you.

Q:Can I buy a prototype to test before buying in bulk?

A:Yes, please feel free to contact us.

Q:What payment methods do you accept?

A:Our company supports most payment methods, but usually accepts T/T, PayPal.

Q:What are your shipping methods?

A:We support sea, air, rail transportation and express delivery, and also support customers to use their own logistics forwarders. Please confirm with us before placing an order.

Q:I would like to ask you if it's possible to have my logo on the product.

A:Yes, we support OEM and special customization, so we can design, produce and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

Q:What is your delivery time?

A:It depends on your order quantity and order season. Usually small quantities will be shipped within 5 to 15 days, and large quantities will be delivered within about 30 days. All in all, the delivery time will not exceed the time agreed between us and the buyer.



Touch Vision (Shenzhen Sufeida) Technology Co., Ltd.



+86 18566758749



cnsfdlhx@monitortp.com



monitorspcs.com

605, Workshop C, No.1, East Industrial District, Shangxue Science park, Xinxue Community, Bantian Street,
Longgang District, Shenzhen, China