

# 13.3 Inch Waterproof IP65 Panel PC Embedded Touch Screen All In One Industrial Computer

# **Basic Information**

Place of Origin: Shen ZhenBrand Name: Skipsoul

Certification: CE/ FCC/UL/ ROHS

Model Number: AIO133
 Minimum Order Quantity: negotiation
 Price: negotiation

• Payment Terms: T/T, Western Union, MoneyGram, PayPal



# **Product Specification**

Product Name: 13.3 Inch All-in-one PC
Keywords: Industrial Computer
CPU: I3/I5/I7 Optional
Type: All-in-one Pc OEM
Application: Industrial Automation
Speaker: Built-in 2 Channel Stereo

• WIFI: 802.11b/g/n

• Touch Screen: 10 Point Capacitive Touch Screen



# More Images



# 13.3 Inch Waterproof IP65 Panel PC Embedded Touch Screen All-In-One Industrial Computer

# **Industrial Monitoring and Control**

The computer can be used to monitor and control various industrial processes, such as manufacturing lines, equipment operation, or facility management. It can display real-time data, enable parameter adjustments, and provide alerts or notifications for system anomalies.


#### **Data Collection and Analysis**

The embedded computer can be used to collect data from sensors, equipment, or production lines. It can process, analyze, and store the data locally or transmit it to a central server for further analysis, enabling real-time monitoring, predictive maintenance, or quality control.

#### **Information Display and Visualization**

The 13.3-inch screen provides a compact yet sufficiently large display for presenting information, graphical interfaces, or visualizing data in industrial environments. It can be used for dashboards, status monitoring, production metrics, or safety instructions.

Open Frame Embedded 13.3 In	ch Touch All In OnePC
Brand	OEM/ODM
Product Color	Black
Backlight source	LED
Screen size	13.3 Inch Touch All In OnePC
Screen proportion	16:9
Backlight	LED
Resolution	1920*1080
Brightness	300cd/m2
Contract	1000:1
Viewing angle	H:175°V:175°
Color temperature	16.7M
Brushing	60Hz
Scanning method	Progressive scan
Response Time	5ms
Other interfaces	HDMI+VGA+USB
13.3 Inch Touch All-In-Or	ne PC Parameters
Capacitance touch  13.3 Inch Touch All-In-One	Capacitive Touch
	armored glass: G+G
	ELITE
	Transmittance :≥90%
	USB operating voltage 3.3-5V
	>50 million times
	20g current sensing
	USB
13.3 Inch Touch All-In-Or	ne PC Parameters
Environmental conditions	Work temperature: -10 to 80°C
	Working humidity: -10 to 80°C
	Save temperature: -10 to 80°C
	Save humidity: -10 to 80°C
Power supply	DC
	electricity: 3A
	Machine power consumption: 30W



#### **FAQ**

#### Q: How can I get the price?

A: We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

#### Q: What is the minimum order?

A: Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

#### Q: Can I buy a prototype to test before buying in bulk?

A: Yes, please feel free to contact us.

### Q: What payment methods do you accept?

A: Our company supports most payment methods, but usually accepts T/T, PayPal.

# Q: What are your shipping methods?

A: We support sea, air, rail transportation, and express delivery, and also support customers to use their own logistics forwarders. Please confirm with us before placing an order.

# Q: I would like to ask you if it's possible to have my logo on the product.

A: Yes, we support OEM and special customization, so we can design, produce, and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

# Q: What is your delivery time?

A: It depends on your order quantity and order season. Usually, small quantities will be shipped within 5 to 15 days, and large quantities will be delivered within about 30 days. All in all, the delivery time will not exceed the time agreed between us and the buyer.





+86 18566758749



cnsfdlhx@monitortp.com



@ monitorspcs.com