

18.5 Inch 1080P Portable Gaming Monitor for Laptop with FHD 60hz Computer **Monitor with VESA**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Shen Zhen Skipsoul
- CE/ FCC/UL/ ROHS
- PM-185-7



Product Specification

- Product Name:
- Keyword:
- Viewing Angle:
- Backlight:
- Refresh Rate:
- Place Of Origin:
- Speaker:
- Style:
- Condition:
- Highlight:

18.5 Inch Portable Monitor

Computer Pc Monitor

178 / 178 (H/V)

- LED Backligh
- 60Hz
- China
- Built-in Dual Speakers
 - Thin Slim
 - A+ Grade
 - FHD 1080P LCD Portable Monitor, **IPS LCD Portable Monitor**

Our Product Introduction

18.5 Inch 1080P Portable Gaming Monitor for Laptop with FHD 60hz Computer Monitor with VESA

Introduction

Introducing our latest innovation, the 18.5-inch 1920*1080P 60Hz Portable Monitor. Designed to amplify mobility and interactivity, this cutting-edge portable monitor combines a compact size, high-definition visuals, responsive touch functionality, and convenience. Experience the freedom to work, create, and interact anytime, anywhere with our feature-packed portable monitor.

Crisp High-Definition Visuals

With an 18.5-inch display and a Full HD 1920*1080P resolution, this portable monitor delivers crisp and vibrant visuals with accurate colors and sharp details. Whether you're editing photos, designing graphics, or watching videos, every image will come to life with clarity and precision. Immerse yourself in an engaging visual experience, thanks to the monitor's impressive pixel density and wide color gamut.

Responsive Functionality

Featuring advanced technology, this portable monitor enables precise and responsive control. The touch functionality allows you to navigate, draw, annotate, and interact with your content effortlessly. Whether you're a digital artist, designer, or presenter, the touch feature empowers you to unleash your creativity and enhance your productivity.

Portable and Convenient Design

Designed with portability and convenience in mind, this monitor is slim and lightweight, making it easy to carry in your bag or backpack. Whether you're a professional on the go, a student, or a frequent traveler, this monitor ensures that you have a versatile and high-quality display at your fingertips, regardless of your location. Set it up quickly and easily wherever you are.

BacklightW-LEDMini HDMI In1Panel SupplierSamsung, BOE, AUO or LG DisplayUSB Slot In (USB3.1)1Panel TechnologyIPSUSB Slot In (Power Input)1Aspect Ratio16:9Earphone OutYESPanel Size18.5-inch portable touch monitorMaterial1Display Resolution1920*1080Front CoverMetalRefresh Rate60HzBack CoverMetalDisplay Color16.7MCartonAB corrugatedBrightness300cd/Accessories1Luminance Uniformity≥65%HDMI to Mini HDMI Cable1Color Gamut≥90%TypeC to TypeC Cable1Color Gamut≥90%Structural Info.1Viewing Angle (H/V)178°/178°Structural Info.424*266*76mHDRYESPackage Box Size424*266*76mHDRYESNet Weight Info.~780gScaler ModeYESStruct Signt Includes all Package~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.~1780g	19.5 inch	Panal Spacification	TERMINALS	
Panel SupplierSamsung, BOE, AUO or LG DisplayUSB Slot In (USB3.1)1Panel TechnologyIPSUSB Slot In (Power Input)1Aspect Ratio16:9Earphone OutYESPanel Size18.5-inch portable touch monitorMaterialDisplay Resolution1920*1080Front CoverMetalDisplay Color16.7MBack CoverMetalDisplay Color16.7MCartonAB corrugatedBrightness300cd/Accessories1Color Gamut≥90%TypeC to TypeC Cable1Color Gamut≥90%TypeC to TypeC Cable1Color Gamut≥90%Structural Info.1Uiewing Angle (H/V)178*/178°Structural Info.1Uiewing Angle (H/V)178*/178°Structural Info.1Color Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.424*266*76m mScaler ModeYESNet Weight~780gPicture EffectYESGross weight includes all Package~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.CE//FCC/ROS HAdaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points TouchSOUND10 Points Touch	18.5-inch Panel Specification			
Panel SupplerDisplayUSB Slot In (USB 3.1)1Panel TechnologyIPSUSB Slot In (OSB 3.1)1Aspect Ratio16:9Earphone OutYESPanel Size18.5-inch portable touch monitorMaterialDisplay Resolution1920*1080Front CoverMetalDisplay Color16.7MBack CoverMetalDisplay Color16.7MCartonAB corrugatedBrightness300cd/Accessories1Color Gamut≥90%TypeC to TypeC Cable1Color Gamut≥90%TypeC to TypeC Cable1Color Gamut≥90%Structural Info.1Uiewing Angle (H/V)178°/178°Structural Info.1Uiewing Angle (H/V)178°/178°Structural Info.1Color Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.424*266*76m mScaler ModeYESNet Weight~780gPicture EffectYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.CE//FCC/ROS HAdaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:SV 2ASOUND10 Points TouchSOUND10 Points Touch	Backlight			
Aspect Ratio 16:9 Earphone Out YES Panel Size 18.5-inch portable touch monitor Material Display Resolution 1920*1080 Front Cover Metal Refresh Rate 60Hz Back Cover Metal Display Color 16.7M Carton AB corrugated Brightness 300cd/ Accessories Image: Cover and the cover and t	Panel Supplier	Display	USB Slot In (USB3.1)	1
Panel Size18.5-inch portable touch monitorMaterialDisplay Resolution1920*1080Front CoverMetalRefresh Rate60HzBack CoverMetalDisplay Color16.7MCartonAB corrugatedBrightness300cd/Accessories1Luminance Uniformity≥65%HDMI to Mini HDMI Cable1Color Gamut≥90%TypeC to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1PictureInner Box Size424*266*76m mmColor Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.*780gScaler ModeYESNet Weight~780gYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.Adaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDc:SV 2A	Panel Technology	IPS	USB Slot In(Power Input)	1
Display Resolution1920*1080Front CoverMetalRefresh Rate60HzBack CoverMetalDisplay Color16.7MCartonAB corrugatedBrightness300cd/Accessories1Luminance Uniformity≥65%HDMI to Mini HDMI Cable1Color Gamut≥90%TypeC to TypeC Cable1Color Gamut≥90%TypeC to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Response Time3msLeather Case1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1Viewing Angle (H/V)178°/178°Structural Info.424*266*76m mColor Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.424*266*76m mBacklight AdjustableYESNet Weight~780gScaler ModeYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.Adaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch10 Points Touch	Aspect Ratio	16:9	Earphone Out	YES
Refresh Rate60HzBack CoverMetalDisplay Color16.7MCartonAB corrugatedBrightness300cd/Accessories1Luminance Uniformity≥65%HDMI to Mini HDMI Cable1Color Gamut≥90%TypeC to TypeC Cable1Color Gamut≥90%TypeC to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Response Time3msLeather Case1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1PictureInner Box Size424*266*76m m1HDRYESPackage Box Size424*266*76m mBacklight AdjustableYESNet Weight Info.1Scaler ModeYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.1Adaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch10 Points Touch1	Panel Size	18.5-inch portable touch monitor	Material	
Display Color16.7MCartonAB corrugatedBrightness300cd/Accessories1Luminance Uniformity265%HDMI to Mini HDMI Cable1Color Gamut290%TypeC to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Response Time3msLeather Case1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1Otor Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.424*266*76m mBacklight AdjustableYESNet Weight~780gScaler ModeYESNet Weight~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.11780gAdaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch10 Points Touch10 Points Touch	Display Resolution	1920*1080	Front Cover	Metal
Brighness300cd/AccessoriesLuminance Uniformity265%HDMI to Mini HDMI Cable1Color Gamut290%TypeC to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Response Time3msLeather Case1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1PictureInner Box Size424*266*76m mmHDRYESPackage Box Size424*266*76m mBacklight AdjustableYESNet Weight Info.Scaler ModeYESNet Weight~780gPicture EffectYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.HAdaptive Deinterlacing3DCertificationHDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch10 Points Touch	Refresh Rate	60Hz	Back Cover	Metal
Luminance Uniformity≥65%HDMI to Min HDMI Cable1Color Gamut≥90%TypeC to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Response Time3msLeather Case1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1PictureInner Box Size424*266*76mHDRYESPackage Box Size424*266*76mBacklight AdjustableYESNet Weight Info.mScaler ModeYESRess weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.Adaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch10 Points Touch	Display Color	16.7M	Carton	AB corrugated
Color Gamut≥90%TypeC to TypeC Cable1Contrast Ratio1000:1USB to TypeC Cable1Response Time3msLeather Case1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1PictureInner Box Size1HDRYESPackage Box Size424*266*76m mColor Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.*Backlight AdjustableYESNet Weight~780gScaler ModeYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.*Adaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch**	Brightness	300cd/	Accessories	
Contrast Ratio1000:1USB to TypeC Cable1Response Time3msLeather Case1Viewing Angle (H/V)178°/178°Structural Info.Life Time>30000HMonitor SizePictureInner Box Size424*266*76mHDRYESPackage Box Size424*266*76mGolor Temperature9300,7500,6500,5800,SRGB,USWeight Info.*********************************	Luminance Uniformity	≥65%	HDMI to Mini HDMI Cable	1
Response Time3msLeather Case1Viewing Angle (H/V)178°/178°Structural Info.1Life Time>30000HMonitor Size1PictureInner Box Size424*266*76m m424*266*76m mHDRYESPackage Box Size424*266*76m mColor Temperature9300,7500,6500,5800,SRGB,US ERWeight InfoBacklight AdjustableYESNet Weight~780gScaler ModeYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFOAdaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch	Color Gamut	≥90%	TypeC to TypeC Cable	1
Viewing Angle (H/V)178°/178°Structural Info.Life Time>30000HMonitor SizePictureInner Box SizeHDRYESPackage Box Size424*266*76m m9300,7500,6500,5800,SRGB,US ERWeight Info.Color Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.Backlight AdjustableYESNet WeightScaler ModeYESRef weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.Adaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch10 Points Touch	Contrast Ratio	1000:1	USB to TypeC Cable	1
Life Time>30000HMonitor SizePictureInner Box Size1HDRYESPackage Box Size424*266*76m mColor Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.424*266*76m mBacklight AdjustableYESNet Weight~780gScaler ModeYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFOAdaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch	Response Time	3ms	Leather Case	1
PictureInner Box SizeHDRYESPackage Box Size424*266*76m mColor Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.1000000000000000000000000000000000000	Viewing Angle (H/V)	178°/178°	Structural Info.	
HDRYESPackage Box Size424*266*76m mColor Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.1000000000000000000000000000000000000	Life Time	>30000H	Monitor Size	
HDRYESPackage Box SizemColor Temperature9300,7500,6500,5800,SRGB,US ERWeight Info.mBacklight AdjustableYESNet Weight~780gScaler ModeYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.Adaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch	Picture		Inner Box Size	
Color TemperatureERWeight Into.Backlight AdjustableYESNet Weight~780gScaler ModeYESGross weight includes inner Box~1600gPicture EffectYESGross weight includes all Package~1780gYC Comb Filter3DBasic INFO.Adaptive Deinterlacing3DCertificationCE//FCC/ROS HDynamic Noise ReductionYESPower SupplyDC:5V 2ASOUND10 Points Touch	HDR	YES	Package Box Size	
Scaler Mode YES Gross weight includes inner Box ~1600g Picture Effect YES Gross weight includes all Package ~1780g YC Comb Filter 3D Basic INFO. ~1780g Adaptive Deinterlacing 3D Certification CE//FCC/ROS H Dynamic Noise Reduction YES Power Supply DC:5V 2A SOUND 10 Points Touch	Color Temperature		Weight Info.	
Scaler Mode YES Box ~1600g Picture Effect YES Gross weight includes all Package ~1780g YC Comb Filter 3D Basic INFO. Adaptive Deinterlacing 3D Certification CE//FCC/ROS H Dynamic Noise Reduction YES Power Supply DC:5V 2A SOUND 10 Points Touch	Backlight Adjustable	YES	Net Weight	~780g
Picture Ellect PES Package ~1780g YC Comb Filter 3D Basic INFO.	Scaler Mode	YES	0	~1600g
Adaptive Deinterlacing 3D Certification CE//FCC/ROS H Dynamic Noise Reduction YES Power Supply DC:5V 2A SOUND 10 Points Touch	Picture Effect	YES		~1780g
Adaptive Deinterlacing 3D Certification H Dynamic Noise Reduction YES Power Supply DC:5V 2A SOUND 10 Points Touch	YC Comb Filter	3D	Basic INFO.	
Reduction YES Power Supply DC:SV 2A SOUND 10 Points Touch	Adaptive Deinterlacing	3D	Certification	CE//FCC/ROS H
		-	11.5	
Audio Power Output 2*3W PM-185-7 No			10 Points Touch	
	Audio Power Output	2*3W	PM-185-7	No

FAQ

Q: How can I get the price?

A: We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

Q: What is the minimum order?

A: Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

Q: Can I buy a prototype to test before buying in bulk?

A: Yes, please feel free to contact us.

Q: What payment methods do you accept?

A: Our company supports most payment methods, but usually accepts T/T, and PayPal.

Q: What are your shipping methods?

A: We support sea, air, rail transportation, and express delivery, and also support customers to use their own logistics forwarders. Please confirm with us before placing an order.

Q: I would like to ask you if it's possible to have my logo on the product.

A: Yes, we support OEM and special customization, so we can design, produce, and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

Q: What is your delivery time?

A: It depends on your order quantity and order season. Usually, small quantities will be shipped within 5 to 15 days, and large quantities will be delivered within about 30 days. All in all, the delivery time will not exceed the time agreed between us and the buyer.

Touch Vision (Shenzhen Sufeida) Technology Co., Ltd.

+86 18566758749

cnsfdlhx@monitortp.com

@ monitorspcs.com

605, Workshop C, No.1, East Industrial District, Shangxue Science park, Xinxue Community, Bantian Street, Longgang District, Shenzhen, China