

IP65 Embedded Industrial Touch Monitor 15.6 Inch Touch All In One Computer

Basic Information

- Place of Origin:
- Brand Name:
- Skipsoul

Shen Zhen

- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- CE/ FCC/UL/ ROHS AIO156
- negotiation
 - negotiation

Product Specification

- Resolution:
- Screen Proportion:
- Brightness:
- Viewing Angle:
- Signal Interface:
- Touch:
- Attributes:
- Highlight:

16:9 300cd/m2 H:175°V:175°

1920*1080

- VGA+HDMI+USB
- Capacitive Touch
- Embedded
 - 15.6 Inch Industrial Touch Monitor, IP65 Industrial Touch Monitor, **IP65 Embedded Touch Monitor**



More Images



IP65 Embedded Industrial Touch Monitor 15.6 Inch Touch All In One Computer

Display

The computer features a 15.6-inch LCD display with a capacitive touch panel. The capacitive touch technology enables precise and responsive touch input, allowing users to interact with the computer by directly touching the screen.

All-in-One Design

The 15.6 inch touch all in one integrates all the essential components, including the processor, memory, storage, and connectivity options, into a single unit. This eliminates the need for a separate tower or external components, saving space and providing a neat and clutter-free setup.

Processing Power

The 15.6 inch touch all in one is equipped with a powerful processor, which can vary depending on the specific model or configuration. The processor ensures smooth performance and enables the computer to handle various tasks, including web browsing, multimedia playback, and productivity applications.


Memory and Storage

The 15.6 inch all in one comes with a certain amount of RAM (Random Access Memory), which determines the device's multitasking capabilities. Additionally, it offers storage options such as solid-state drives (SSD) or hard disk drives (HDD) to store files, applications, and operating systems.

Operating System

The 15.6 inch touch all in one typically comes pre-installed with an operating system, such as Windows, or Linux. The operating system provides the user interface and manages the computer's resources, allowing users to interact with applications and perform tasks.

| Industrial Embedded 15.6 Inch Touch All In OnePC | | | | |
|--|---------------------------------|--|--|--|
| Brand | OEM/ODM | | | |
| Product color | Black | | | |
| Backlight source | LED | | | |
| Screen size | 15.6 Inch Touch All In OnePC | | | |
| Screen proportion | 16:9 | | | |
| Backlight | LED | | | |
| Resolution | 1920*1080 | | | |
| Brightness | 300cd/m2 | | | |
| Contrat | 1000:1 | | | |
| Viewing angle | H:175°V:175° | | | |
| Color temperature | 16.7M | | | |
| Brushing | 60Hz | | | |
| Scanning method | Progressive scan | | | |
| Response Time | 5ms | | | |
| Other interfaces | HDMI+VGA+USB | | | |
| I 15.6 Inch Touch All In OnePC Parameters | | | | |
| | Capacitive Touch | | | |
| | armoured glass :G+G | | | |
| | ILITEK | | | |
| Capacitance touch | Transmittance :≥90% | | | |
| | USB operating voltage 3.3-5V | | | |
| | >50 million times | | | |
| | 20g current sensing | | | |
| | USB | | | |
| 15.6 Inch Touch All In OnePC Parameters | | | | |
| Environmental conditions | Work temperature : -10 to 70°C | | | |
| | Working humidity : -10 to 70°C | | | |
| | Save temperature : -10 to 70°C | | | |
| | Save humidity : -10 to 70°C | | | |
| | DC | | | |
| Power supply | electricity : 3A | | | |
| | Machine power consumption : 30W | | | |



FAQ

Q:How can I get the price?

A:We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

Q:What is the minimum order?

A:Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

Q:Can I buy a prototype to test before buying in bulk?

A:Yes, please feel free to contact us.

Q:What payment methods do you accept?

A:Our company supports most payment methods, but usually accepts T/T, PayPal.

Q:What are your shipping methods?

A:We support sea, air, rail transportation and express delivery, and also support customers to use their own logistics forwarders. Please confirm with us before placing an order.

Q:I would like to ask you if it's possible to have my logo on the product.

A:Yes, we support OEM and special customization, so we can design, produce and process according to customer's requirements. Of course, custom logos on the box and instruction manual are also included.

Q:What is your delivery time?

A:It depends on your order quantity and order season. Usually small quantities will be shipped within 5 to 15 days, and large quantities will be delivered within about 30 days. All in all, the delivery time will not exceed the time agreed between us and the buyer.

| et ken | Touch Vision (She | enzhen Sufeida) Tech | nology Co., Ltd. |
|---------------|--------------------|----------------------|------------------|
| +86 18 | 3566758749 🖸 cnsfc | dlhx@monitortp.com | monitorspcs.com |

605, Workshop C, No.1, East Industrial District, Shangxue Science park, Xinxue Community, Bantian Street, Longgang District, Shenzhen, China