

21.5 Inch Industrial Embedded Touch Monitor All-In-One Computer Metal Case Capacitive Touch Monitor

Our Product Introduction

for more products please visit us on monitorspcs.com

Basic Information

- Place of Origin: Shen Zhen
- Brand Name: Skipsoul
- Certification: CE/ FCC/UL/ ROHS
- Model Number: AIO215
- Minimum Order Quantity: negotiation
- Price: negotiation
- Payment Terms: T/T, Western Union, MoneyGram, PayPal



Product Specification

- Product Name: 21.5 Inch Capacitive Touch Monitor
- Resolution: 1920*1080
- Screen Proportion: 16:9
- Brightness: 300cd/m2
- Viewing Angle: H:175°V:175°
- Signal Interface: VGA+HDMI+USB+DP
- Touch: Capacitive Touch
- Attributes: Embedded
- Screen Size: 21.5 Inch
- Product Color: Black
- Touch Screen Type: Resistive Touch Screen
- Displaycolors: 16.7 M
- Touch Technology: Projected Capacitive
- Colour: Black/Customed
- Highlight: **Embedded Capacitive Touch pc Monitor,**



More Images



Product Description

21.5 Inch Industrial Embedded Touch Monitor All-In-One Computer Metal Case Capacitive Touch Monitor

Capacitive Touch Display

The computer features a large 21.5-inch capacitive touch screen with a 16:9 aspect ratio. The display offers a high-definition resolution, crisp visuals, and excellent touch responsiveness. The capacitive touch technology enables precise and intuitive touch interactions, making it ideal for embedded applications.

Embedded System

This 21.5-inch all-in-one computer is specifically designed for embedded systems, which means it is intended to be integrated into other devices or equipment rather than used as a standalone desktop computer. It is built to operate reliably in specific applications or industries, such as automation, retail, healthcare, transportation, or digital signage.

Processing Power

The 21.5-inch touch monitor all-in-one computer is equipped with a powerful embedded processor to ensure efficient and reliable performance. The specific processor may vary based on the model and requirements of the embedded system. Embedded processors are designed to meet the unique needs of specific applications, providing optimized performance and power efficiency.

Operating System and Software

The 21.5-inch touch monitor can be equipped with various operating systems tailored to the requirements of the embedded system. It may support operating systems like Linux, Windows Embedded, or a real-time operating system optimized for specific industrial applications. Additionally, it can be customized with specialized software or applications to meet the specific needs of the embedded system.

Connectivity


The 21.5-inch all-in-one computer offers a wide range of connectivity options to integrate with other devices and systems. It typically includes multiple USB ports for connecting peripherals, such as barcode scanners, printers, or external storage devices. It may also have Ethernet ports for network connectivity and support for wireless protocols like Wi-Fi and Bluetooth.

Storage and Memory

The embedded 21.5-inch capacitive touch monitor includes ample internal storage, usually in the form of solid-state drives or industrial-grade storage solutions. This allows for reliable and high-speed data storage, crucial for embedded systems that require quick access to critical data. The computer also features sufficient RAM to support multitasking and ensure smooth operation of the embedded applications.

Industrial Embedded 21.5 Inch Touch All In OnePC	
Brand	OEM/ODM
Product Color	Black
Backlight source	LED
Screen size	21.5 Inch Touch All In OnePC
Screen proportion	16:9
Backlight	LCD
Resolution	1920*1080
Brightness	300cd/m2
Contract	1000:1
Viewing angle	H:175°V:175°
Color temperature	16.7M
Brushing	60Hz
Scanning method	Progressive scan
Response Time	5ms
Other interfaces	HDMI+VGA+USB+DP
21.5 Inch Touch All-In-One PC Parameters	
Capacitance touch	Capacitive Touch
	armored glass: G+G
	ELITE
	Transmittance :≥90%
	USB operating voltage 3.3-5V
	>50 million times
	20g current sensing
	USB
21.5 Inch Touch All-In-One PC Parameters	
Environmental conditions	Work temperature: -10 to 80°C
	Working humidity: -10 to 80°C
	Save temperature: -10 to 70°C

Power supply	Save humidity: -10 to 70°C
	DC
	electricity: 3A
	Machine power consumption: 30W



FAQ

Q: How can I get the price?

A: We usually give you a quotation within 24 hours after receiving the inquiry (except weekends and holidays), if you need a quotation urgently, you can contact us by mail or other means.

Q: What is the minimum order?

A: Our company mainly deals in wholesale business, but if you insist on buying one, or you only need one set, we will also deliver the goods to you.

Q: Can I buy a prototype to test before buying in bulk?

A: Yes, please feel free to contact us.

Q: What payment methods do you accept?

A: Our company supports most payment methods, but usually accepts T/T, PayPal.

Q: What are your shipping methods?

A: We support sea, air, rail transportation, and express delivery, and also help customers to use their own logistics forwarders. Please confirm with us before placing an order.

Q: I would like to ask you if it's possible to have my logo on the product.

A: Yes, we support OEM and special customization so that we can design, produce, and process according to customers' requirements. Of course, custom logos on the box and instruction manual are also included.

Q: What is your delivery time?

A: It depends on your order quantity and order season. Usually, small quantities will be shipped within 5 to 15 days, and large quantities will be delivered within 30 days. All in all, the delivery time will not exceed the time agreed between us and the buyer.



Touch Vision (Shenzhen Sufeida) Technology Co., Ltd.



+86 19925413433



cnsfdxhl@monitortp.com



monitorspcs.com

605, Workshop C, No.1, East Industrial District, Shangxue Science park, Xinxue Community, Bantian Street,
Longgang District, Shenzhen, China